GOVERNMENT OF AHDHRA PRADESH

ABSTRACT

PUBLIC SERVICES – Sri A. Raja Swaroop Kumar, the then Executive Engineer Krishna Central Division, Vijayawada – Water Resources Department - - **Neeru Chettu improvements to Divi East Main canal in between KM 14.420 to KM 14.470 in Koduru (V&M) in Krishna District** (Work No.25) (Annexure - 306) taken up under Neeru-Chettu programme - Departmental Proceedings under Rule 20 of the A.P. Civil Services (CC & A) Rules, 1991 - Articles of Charges - Issued.

WATER RESOURCES (Vig.II.(V&E)) DEPARTMENT

G.O.Rt.No.122 Dated: 24.01.2022

>><<

O R D E R:

It is proposed to hold an inquiry against Sri A. Raja Swaroop Kumar, the then Executive Engineer Krishna Central Division, Vijayawada in accordance with the procedure laid down under Rule 20 of the A.P Civil Services (CC&A) Rules, 1991 for the alleged charges specified herein.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehaviour in support of articles of charges is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure-III & IV).

3. Sri A. Raja Swaroop Kumar, the then Executive Engineer Krishna Central Division, Vijayawada is directed to submit his written statement of defence within (10) days from the receipt of this order and also state whether he desires to be heard in person.

4. Sri A. Raja Swaroop Kumar, the then Executive Engineer Krishna Central Division, Vijayawada is informed that an inquiry will be held only in respect of those article of charge which are not specifically admitted herein. He should, therefore, specifically admit or deny each article of charge. He is further informed that adequate opportunity for perusal of records will be made available during the course of inquiry.

5. Sri A. Raja Swaroop Kumar, the then Executive Engineer Krishna Central Division, Vijayawada is further informed that if he does not submit his written statement of defence on or before the stipulated time, or does not appear in person before the disciplinary authority or otherwise fails or refuses to comply with the provisions of rule 20 of the APCS (CC&A) Rules 1991, or the orders/directions issued in pursuance of said Rules, the inquiring authority may hold inquiry against him ex-parte.

6. Attention of Sri A. Raja Swaroop Kumar, the then Executive Engineer Krishna Central Division, Vijayawada a is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Govt. If

any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri A. Raja Swaroop Kumar, the then Executive Engineer Krishna Central Division, Vijayawada is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this order should be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR K S JAWAHAR REDDY
SPLECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri A. Raja Swaroop Kumar, the then Executive Engineer Krishna Central Division, Vijayawada **through** the Engineer-in-Chief (AW), Water Resource Department, Vijayawada.
Copy to:
The Engineer-in-Chief (AW), Water Resources Department, Vijayawada with a request to submit the dated acknowledgement of the individual to the Government without any delay.

// FORWARDED : BY ORDER //

SECTION OFFICER